### TRANSMISSION LINE LANDSCAPING OVERHEAD OR UNDERGROUND

THIS SPECIFICATION COVERS THE REQUIREMENTS FOR THE INSTALLATION FLOWERS, PLANTS, TREES, SHRIBS, EVERGREENS AS PART OF THE ELECTRIC LANDSCAPE WORK ASSOCIATED WITH OVERHEAD AND UNDERGROUND LINES AND RELATED FACILITIES IN ACCORDANCE WITH THE JOB DRAWINGS,

### L GENERAL

- THE NUMBER, TYPE AND LOCATION OF PLANTINGS SHALL, BE AS SHOWN ON THE JOB OR DIRECTED BY THE ENGINEER.
- THE CONTRACTOR SHALL GIVE HIS PERSONAL ATTENTION TO THE FAITHFUL CARRING OUT THE WORK. COMPETENT AND SKILLFUL MEN SHALL BE EMPLOYED TO EXECUTE THE WORK WHICH SHALL BE SUPERVISED BY AN EMPERIENCED ARBORIST FOREMAN AT ALL TIMES. 2)
- THE CONTRACTOR SHALL HAVE AVAILABLE AND IN GOOD CONDITION ALL EQUIPMENT NECESSARY FOR THE SAFE TRANSPORTING OF PLANTINGS TO THE SITE AND FOR SETTING PLANTINGS IN FINAL POSITION.
- THE CONTRACTOR SHALL CONTAIN HIS OPERATION WITHIN THE OWNER'S PROPERTY AND SHALL AVOID OR MINIMIZE ANNOYANCE OR DISTURBANCE TO THE PUBLIC.
- CARE SHALL BE TAKEN TO AVOID DISTURBANCE OF ALL AREAS OUTSIDE OF THE WORK AREAS AND ANY DAMAGE THERETO SHALL BE IMMEDIATELY REPAIRED AND RESTORED TO THE ORIGINAL CONDITION.
- WHEN THE WORK IS COMPLETED, THE CONTRACTOR SHALL RESTORE THE SURFACE OF OWNER'S PROPERTY AND/OR ANY OTHER LAND USED BY THE CONTRACTOR TO GROWN, CONDITION, ALL DEBRIS, EXCESS EXCAVATED MATERIAL, AND ALL OTHER MATERIAL WHICH COLLECTS AS A RESULT OF THE CONTRACTOR'S OPERATION, SHALL BE REMOVED IMMEDIATELY.
- ALL BRICKS MORTAR, DECORATIVE STONE, CONCRETE, STONE, SAND GRAVEL, MODULAR BRICK FORMS, MULCH OF ALL TYPES, PULVERIZED BLACK DIRT, THEES, FAICE INSTALLATION AND REMOVAL FLOWERS, SHRUBS, EVERGREEN TREES AND TO BE FURNISHED BY THE CONTRACTOR WITH LABOR TO INSTALL
- TREES AND TO BE FURNISHED BY THE CONTRACTOR WITH LABOR TO INSTALL. THE CONTRACTOR SHALL REMOVE ONLY THOSE TREES AND SHRUBS SO DESIGNATED ON THE PLANS OR AS DIRECTED BY THE ENGINEER, OR THOSE THAT DIRECTLY INTERFERE WITH THE SAFETY OR GUALITY OF CONSTRUCTION PRACTICES. THE CONTRACTOR SHALL DEFECTS EXTENDED AND REMOVED AS HIMMUN OF TWO DAYS IN ADVANCE OF REMOVAL, OF TREES THAT AFFECT SAFETY. THE CONTRACTOR SHALL EXPENSES EXTENDED CARE WHEN WORKING HEAR EXISTING TREES AND SHRUBS TO AVOID DAMAGING THOSE NOT SCHEDULED FOR TREWOYAL AND SHALL REPLACE ANY DAMAGED PLANTS AT HIS OWN EXPENSE. THE CONTRACTOR SHALL PROTECT ALL OTHER TREES, BUSKES AND LANGSCHIMPIG FEATURES, TREES ERMOVAL OF THE CONTRACTOR SHALL PROTECT ALL OTHER TREES, BUSKES AND LANGSCHIMPIG FEATURES. TREES FEMOVAL SHALL BE REPLACED BY THE CONTRACTOR SHALL PROVED IN A NEXT AND CLEAR BEANCAES OR ROOTS PRUMED SHALL BE NOW. IN A NEXT AND CLEAR MANNER (I.E., WITH A SAM DESCRIBED FOR PRUMING OR SHALLS OR LOPPERS) AND NOT TORN, PRUMED BY THE CONTRACTOR SHALL BE NOW THAT AND CLEAR HEAVEN OF THE CONTRACTOR PRUMING OR SHALLS OR LOPPERS) AND NOT TORN, PRUMED SHALL BE NOW THAT A NEXT AND CLEAR THE CONTRACTOR PRUMING OR SHALLS OR LOPPERS) AND NOT TORN, PRUMED SHALL BE REPORTED TO THE CONTRACTOR ON THE ABBORIST ON STEE DURING THE TREE REMOVAL TRIMMING AND PROVIDE A REPORTS ON STEE DURING THE TREE FEMOVAL TRIMMING AND PROVIDE A REPORT FOR PROVIDED IN DUPLICATE AND GOTOR TO THE ENGINEER FOR REVIEW. SEE DETAILS OF TREE REQUIREMENTS IN PLAN BRAWNES OR AS ORRECTED BY THE ENGINEER.

HAPERVELE PUBLIC UTILITIES DEPARTMENT ELECTRIC STANDARDS	TRANSMISSION LINE LANDSCAPING OVERHEAD OR UNDERGROUND (CONSTRUCTION SPECIPICATION)	DATE: 06-01-06 Page 1 of 11 60468-1000	
			_

# III. TREES AND EVERGREENS (CONTINUED):

- THE CONTRACTOR UPON APPROVAL OF THE ENCINEER MAY ELECT TO ALIGIR UNDER ANY TIRE OR DEPORTED WITH A TRUTH STRE OF ENCINED OF LARGER, HOWEVER, ALL TIRES OR EMERGEENS WITH A TRUTH STREE OF ENCINED ALLOCAL HOWEVER, ALL TIRES OR EMERGEENS WITH A TRUTH STREET OF THE PROPERTY OF THE ORDER LARGER SHALL BE ANGURED ANGURED SHALL WILL EXTEND THE FULL LEWISH OF THE ORDER LARGER SHALL BE ANGURED TO THE TRUTH OF THE OWNER THE PROPERTY OF THE OWNER THE OWNER THE DEPORTED AND DEPORTED AND THE OWNER ALL WORN TO READOW THE TREETS OF EVEROREDS ARE UNDER THE SUPERTY OF AN ADDRESS AND THE OWNER THE OWNER THE PROPERTY AND THE OWNER ALL WORN TO READOW THE TREETS OF EVEROREDS ARE UNDER THE SUPERTY OF AN ADDRESS PROVIDED BY THE CONTRACTOR ALL EXCANATION SHALL BE BACKFILLED WITH 6 BECHES OF BLACK DRIFT AND LEVELED AND GRADED.
- THE CONTRACTOR SHALL REPLICE ALL EXISTING LINDSCAPING SUCH AS: BLACK DRT, GRASS, PLANTS, TREES, SHRUBS, EVERGREENS, GARBEINS, VECENBLE CARBEINS, WHES. BUSHES, FLOWERS AND ROCK GARDENS REMOVED OR DAMAZED. THE CONTRACTOR SHALL REGE THE SHIRL FROME THE TYPES OF LINDSCAPING PRIOR TO STARTING THE WORK, FAILURE TO DO 50 SHALL REQUIRE THAT ALL LANDSCAPING CAURED TO BE DIAMAZED SHALL BE CONSIDERED DIAMAGED AND REPLACED AT THE CONTRACTORS COST. THE CONTRACTOR SHALL BE RESPONSIBLE FOR LANDSCAPING CARE OF ALL TYPES AND VARIETY OF LANDSCAPING DURING THE PERSON OF ESTABLISHMENT FOR HITTIL AND REPLACED LANDSCAPING AND SHALL COMPLY WITH REQUIREMENTS. FOR REMOVAL AND REPLACEMENT OF UNACCEPTABLE AND/OR DEAD LANDSCAPING MATERIALS.
- 5) ALL LANDSCAPING MATERIALS SHALL CARRY A ONE YEAR AND SX MONTHS GUARANTY FROM FINAL PAYMENT AND/OR FROM THE DATE THE ENGINEER SIGNS THE AS BUILT DRAWING ACCEPTING THE WORK.
- 6) AT THE TIME OF SELECTION AT THE HURSERY THE LANDSCAPING MATERIALS MUST BE:

- A) IN A LIVE HEALTH'S CONDITION.
  B) GIRCX AND RECORD THE DUNIETER FROM TOP OF ROOT BALL.
  C) BLUANCED AND STAMBLETICAL APPEARANCE.
  D) REPRESENTATIVE OF ITS THE SPECIES IN COLOR, SIZE AND STRAIGHTNESS.
  E) SUFFICIENT DIRT TO PROMOTE GROWN.
- CONTINUENT WITH THE PROPOSITE MEDITION.

  1) NOT INSECTED WITH INSECTS OR PURIS.

  2) ALL UNIOSCAPING MATERIALS SHALL BE APPROVED FOR PLANTING BY THE ARBORIST AND/OR UNIOSCAPE.

  ARCHITECTURE.
- 7) ALL LANDSCAPING, PLANTS, ETC., THAT BO NOT NEET THE REQUIREMENTS FOR ACCEPTANCE SHALL BE REPLACED AT THE CONTRACTORS COST AT ITS OWN EXPENSE AND SHALL CARRY THE SAME GUARANTEE.

TREES, PLANTS, GRASS, SHRUBS, EMERGREEMS, CARROWS, KECTABLE CARDENS, BUSINES, FLOWERS, AND VANES RESTORATION IDENTIFIED ON THE CONSTRUCTION DRAWING, SHALL BE PAID BY UNIT PRICING, HOWEVER ALL DISTURBED AREAS CAUSED DURING CONSTRUCTION AND/OR NOT SHOWN ON THE DRAWINGS SHALL BE RESTORED BY THE CONTRACTOR AND IS INCIDENTAL TO THE WORK. HE CONTRACTOR IS ADMISSD THE WORK AREA IS ON THE ROMBWAY PROPERTY AND SHALL BE DONE TO THE DURINGE COUNTY DEPARTMENT OF TRANSPORTATION REQUIREMENTS. THE ELECTRICAL CONTRACTOR SHE SECONSIBLE FOR ALL AREAS.

NAPERVILLE PUBLIC	TRANSMISSION LINE LANDSCAPING	DATE: 05-01-05
UTDATES DEPARTMENT	OVERHEAD OR UNDERGROUND	Page 4 of 11
ELECTRIC STANDARDS	(CONSTRUCTION SPECIFICATION)	60468-1000

#### GENERAL (CONTINUED)

- TREES SHALL BE INSTALLED A MINIBUM OF FIVE FEET HORIZONTALLY FROM SANTARY SEWERS, SANTARY SERVICES, WATER MAINS, AND WATER SERVICES, TREES SHALL BE INSTALLED A MINIBUM OF TEN FEET HORIZONTALLY FROM LITUTY STRUCTURES AND APPURTEMANCES, INCLUDING, BUT NOT LIMITED TO, MANHOLES, VALVE VALLTS, VALVE BOXES AND FIRE HYDRANTS.
- INCLUDING, BUT NOT LIMITED TO, MANHOLES, VALVE VALLTS, VALVE BOXES AND FIRE HYDRAYTS. THE CONTRACTOR SHALL PROVIDE THE SERMCES OF A LICENSED AND REGISTERED ARBORIST, A REGISTERED LANDSCAPER ARCHITECT, PLUS A STATE AND COUNTY LICENSED, CERTIFIED AND APPROVED LANDSCAPER ARCHITECT, PLUS A STATE AND COUNTY LICENSED, CERTIFIED AND APPROVED LANDSCAPER ARCHITECT SHALL OVERSEE ALL OVERSEE AND SHALL DIRECT PRUNING AND THIMMING OPERATIONS TO FOLLOW THE BEST PRACTICES AND METHODS WHEN IT COMES TO SURFACE RESTORATION, VERSEE AND PLANTS. THE ARBORIST AND/OR ARCHITECT SHALL WRITE REPORTS WITH RECOMMENDATIONS, CAUSE AND EFFECT RELATION SHIPS, PROVIDE LANDSCAPING DESIGNS FOR CUSTOMER APPROVAL AND PROVIDE POSSIBLE SOLUTIONS WITH OPTIONS OF ALL WORK BEING DONE OR PROPOSED WHEN PROVIDED TO DO SO BY THE OWNER. THE REGISTRATION INJURIER RAND NAME OF THE REGISTERED LANDSCAPE ARCHITECT SHALL BE PROVIDED PRIOR TO STARTING WORK, IN ADDITION, THE CONTRACTOR SHALL PROVIDE THE ARBORIST NAME AND RECORDINATION. THE COST OF THE CONTRACT.
- ALL RESTORATION SHALL NOT BE DONE EXCEPT FOR PREP WORK OF THE AREA, PRUNING OR TRIMAING WHEN THE SUMMER SEASON TEMPERATURE SHALL EXCEED 85 DEGREES FAMEDHEIT OR BELOW 40 DEGREES FAMEDHEIT INFITER TEMPERATURE, ALL RESTORATION SHALL START BY APRIL 1 AND STOP BY NOVEMBER 15, OR SOONER AS WEATHER PERMITS. IF WINTER CONCINIONS PREVENT RESTORATION WORK, PELLOWING THE WINTER SEASON THE CONTRACTOR OF THE CONTRACTO
- THIS WORK SHALL CONSIST OF THE CUITING, GRUBBING, REMOVAL AND DISPOSAL OF TREES AND EVERGREENS AT THE LOCATIONS SHOWN ON THE PLANS OR SPECIFIED BY THE ENGINEER. NO TREES SHALL BE REMOVED WITHOUT THE APPROVAL OF THE ENGINEER TREE REMOVAL METHODS SHALL BE IN CONFORMANCE WITH 100T ARTICLE 201.04 OF THE STANDARD SPECIFICATIONS.
- CLEARING WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED AS INCLUDED IN THE UTILITY INSTALLATION REQUIRED IN THE CONTRACT.
- THE CONTRACTOR SHALL REMOVE ALL STUMPS, TREES AND EVERGREENS AND DISPOSE OFF SITE, PLUS RESTORE SURFACE WITH A  $6^\circ$  LAYER OF BLACK DIRT AND SQD.
- THE CONTRACTOR SHALL REQUIRE THAT AN ARBORIST AND ARCHITECT LANDSCAPER LOOK AT EACH TREE FOR DISEASE, PUNGUS OR BEETLE INFESTATION AND SOUND TREE FOR STRUCTURAL SUITABILITY AND GENERAL CONDITION OF TREE BEFORE CLIMBING OR SAWING, A REPORT SHALL BE GIVEN TO THE ENGINEER INDICATING THEIR PRIDINGS,
- TREES TO BE REMOVED OR INSTALLED WILL BE MEASURED IN INCH-DAMETER. THE DIAMETER WILL BE MEASURED AT A POINT FOUR FEET ABOVE THE THISHEST GROUND LEVEL AT THE BASE OF THE TREE AND WILL BE DETERMINED BY ASSURING THE CIRCUMFERENCE OF THE TREE AND AND DAMOING THIS MEASURE CIRCUMFERENCE BY 3.1416.
- TREE REMOVAL OR INSTALLATION WILL BE PAID FOR AT THE CONTRACT UNIT PRICES PER UNIT DIAMETER FOR TREE REMOVAL/INSTRILLATION, 6-12 INCH DIAMETER, AND 13-30 INCH DIAMETER, WHICH SHALL BE FULL COMPENSATION FOR ALL MATERIALS, LABOR, EQUIPMENT AND APPURTEENINGES NECESSARY TO COMPLETE THE WORK.
- CONTRACTOR IS ADVISED TREE REMOVAL OR INSTALLATION REQUIRES THAT ALL UTILITIES ARE TO BE IDENTIFIED PRIOR TO REMOVAL AND PROVIDE PROPER PROTECTION (WOOD LAGGING GROUND

NAPERVULE PUBLIC	TRANSMISSION LINE LANDSCAPING	DATE: 05-01-05
UTILITIES DEPARTMENT	OVERHEAD OR UNDERGROUND	Page 2 of 11
ELECTRIC STANDARDS	(CONSTRUCTION SPECIFICATION)	60468-1000

# II. TREES AND EMPROPETHS (CONTRACED):

THE CONTRACTOR SHALL NOTE THAT SCHE LANDSCAPING MATERIALS MAY BE REQUIRED TO BE TRANSPLANTED THEM ALL RULES, REQUIRED TO BE TRANSPLANTED THEM ALL RULES, REQUIREDORS, PATHENT, GUARANTEES, MATERIAGO FOR 2 MONTHS, CAPE OF TREES, BASS SIZE, PREP AREA SHALL FOR THE SAME ROUGHEMENTS AS IF INSTALLING NOW LANDSCAPING MATERIALS, ALL TRANSFERRED LANDSCAPING MATERIALS, ALTHRIES SHALL BE DIRECTED AND PERFORMED UNDER THE SUPPRISHON OF THE ARBORNIST AND UNUSCAPE ARCHITECT. SEE DRAWING FOR PARTICULARS, TRANSPLANTING SHOWN ON THE PRANKING, AND NOT IDENTIFIED UNDER A UNIT PRICE ARC CONSIDERED HISDBETCH TO THE COST OF THE PROJECT AND SHALL NOT BE PAID FOR SEPARATION. 8)

# IV., PLANTING

UTILITIES DEPARTMENT

- IF THE SOL AT HAND IS NOT SUITABLE FOR PLANTING, A SUITABLE LIGHT RICH SOL SHALL BE SUPPLIED. THE BACKFILL SOL SHALL BE FREE OF SOO, LUMPS, CLOOS, STONES, AND ALL OTHER TYPES OF FOREIGN MITHERALS AND SHALL BE APPROVED BY THE OWNER'S REPRESENTATIVE PEOR TO DELARRY ON THE STEE BACKFILL SHALL BE MIKED WITH PAIR MOSS, OR EQUINALENT, AND SHALL BE WELL COMPACTED BY TAMPING AND WATERING ACCORDING TO ACCEPTED PRACTICE SO THAT ALL YOUSS AND AIR POCKETS ARE ELBRANTED. A SUICHT DEPRESSION SHALL BE LEFT AROUND THE PLANTING TO FACILITATE WATERING.
- PLANTING PITS FOR BALLED AND BURLAPPED TREES SAML BE PREPARED AT THE TIME THE STOCK IS DUO SO THAT NO DELAY WILL OCCUR WHEN THE STOCK IS READY TO BE PLANTED. ALL PITS SAML BE DUG AT LEAST ONE FOOT WIDER OF THE BALL THE PLANTING PIT SHALL BE DEEP ENOUGH THE PLANTING PIT SHALL BE DEEP ENOUGH DEPARCE. TO ALLOW FOUR NOVES OF GOOD SOF BENGALT THE PLANTING PIUR NOVES OF GOOD SOF BENGALT THE BALL AND TO PERMIT THE PLANTING WHEN IT IN SETTLED TO STAND AT THE ESTAME DEPTH AS IT OFISINALLY GREW.

IF THE SOIL CONDITION IN THE PITS ARE SUICH THAT ADDITIONAL PRAINAGE IS REQUIRED TO ENSURE SUCCESSFUL GROWTH, SURFAGE DRAINAGE SHALL OF PROVIDED BY THE CONTRICTOR WHATEVER THE OF DRAINAGE IS PROVIDED SHALL ELIMINATE SUPERFULUOUS WATER IN THE PIT AND ORBAN MANY FROM THE PLANTING SITE JOHN THE STANLED HAVE AND STRAIL BE PLANTED SO AS TO STAND EMECTLY WHERE STANLED AND AT THE ESTANLEDING GROUP.

AND AT THE ESTIMATION PRINTED. THE TRIBNES OF ALL DECIDIOUS TREES SHALL DE WRAPPOD SPIRALLY WITH CREPT PAPER MANUFACTURED FOR THIS SHARPOON SHALLY WITH CREPT PAPER MANUFACTURED FOR THIS POWER PAPER SHAPPON SHALL BE PAPEAR THON TOP DOWN AND STARTED AT A POINT FAR EXQUICH UP IN THE TITEE TO BE WITL SHAPED BY BRANCHES ABOVE. LASE LUNGER LUNGS SHALL BE BOWEN AND RESINGACED WITH STOUT CORD WOUND SPIRALLY IN THE OPPOSITE DIRECTION OF THE WRAPPING PAPER.

- ALL BALLED AND BURLAPPED SHRUBS SHALL BE PLANTED IN HOLES THEIVE INCHES LARGER HIS OWNETER THAN THE BALL, OF ADEQUATE DEPTH, AND WITH PERPONDICULAY WALLS. THE BALL SHALL BE COMPARED TO APPROXIMATELY THEE CULUMETES OF THE DEPTH AND THOROUGHLY WATERED IN PLACE. THE REMAINING ONE QUANTER PLE SHALL BE FOR SOIL, WELL COMPACTED THO PLACE.
- IN AREAS WHERE THE PLANTING OF BALLED STOCK HAS RESULTED IN AN EXCESSIVE AMOUNT OF EXTRA SOIL, SUCH EXCESS SUALL BE REMOVED BANEDATELY BY THE CONTRACTION AND DISPOSED OF OFF STIEL.
- PLANTING PITS FOR BARE ROOTED STOCK SHALL BE AMPLE TO RECEIVE THE ROOTS WITHOUT CROWONG, AFTER PLACING THE PLANTS HE THE HOLES, THE ROOTE WITHOUT SHALL BE THREE GUARTIES FILLED WITH TO POOL, WATERED AND THEN FILLED WITH COMPACTED DRY EARTH TO THE LEVEL OF THE FINISHED GRADE. THE PLANTS SHALL BE PLANTED PLUMB AND STRUGHT.

ALL DECIDUOUS BARE ROOTED STOCK SHALL BE PROPERLY ROOT PRUNED BEFORE PLANTING TO REMOVE UNDESKRABLE ROOT GROWTH AND TO IMPROVE SOCIATION AND ATTEMPT OF THE PROPERTY OF THE PR

TRANSMISSION LINE LANDSCAPING

OVERHEAD OR UNDERGROUND (CONSTRUCTION SPECIFICATION)

DATE: 05-01-05

Page 5 of 11 60468-1000

### 8. PLANT MATERIAL

- THE CONTRACTOR SHALL INVESTIGATE SOURCES OF SUPPLY TO DISSURE THAT ALL THE PLANTS DESIGNATED ON THE PLANTING LIST IN THE SIZE, WARETY, AND QUALITY NOTED AND SPECIFIED ARE AVAILABLE. FALURE TO TAKE THIS PRESCAINTON WILL NOT RELEXT. THE CONTRACTOR REPORT AND HISTALL ALL THE PLANT MATERIAL HISTRICT ACCORDANCE WITH THE CONTRACT ROUSEMENTS, AND WITHOUTHORDINGUAL EXPENSES TO THE OWNER.
- ALL STOCK FURNISHED SHALL BE WELL SHAPED PLANTS AND MUST BETRUE TO NAME, ONE OF EACH SIZE SHALL BE LEGIBLY TAGGED WITH A WEATHER PROOF TAG STATING THE SIZE AND STANDARD BOTANCIA. NAME AS RECOMBEREDED BY THE AURENCH ASSOCIATION OF MATSERTHER.
- ALL BALLED AND BURLAPPED STOCK SHALL CONFORM FULLY TO THE SPECIFICATIONS AS SET FORTH BY THE AMERICAN NURSERYMEN'S ASSOCIATION AND THE ILLINOIS LANDSCAPE CONTRACTOR'S ASSOCIATION.
- 4) THE CALIPER OF TREE TRUNKS SHALL BE TAKEN SIX INCHES ABOYEGROUND LEVEL FOR TREES UP TO AND INCLUDING FOUR INCHESC ALIPER AND 12 INCHES ABOYE GROUND LEVEL FOR TREES OF LAGER CALIPER.
- 5) NO SUBSTITUTION SHALL BE MADE WITHOUT WRITTEN AUTHORIZATION BY THE OWNER'S REPRESENTATIVE.
- 6) UPON NOTICE FROM THE OWNER'S REPRESENTATIVE, ALL PLANTS NOT TRUE TO SIZE, QUALITY, WREITY AND COLOR SPECIFIED SHALL BE REMOVED BY THE CONTRACTOR AND IMMEDIATELY REPLACED AT THE CONTRACTOR'S EXPENSE WITH PLANTS METING THE REMERSION OF THE PLANTS AND SPECIFICATIONS. THE DECISION OF THE OWNER'S REPRESENTATIVE SHALL BE FINAL.
- ALL PLANTS SHALL BE DUG WITH REASONABLE CAPE AND SIGIL IMMEDIATELY PREVIOUS TO SIGNERH, OR, IF DUG IN ADVANCE, ROOTS MUST BE CAREFULLY PROTECTED AT ALL TIMES TO PREVIOUS DECESSING PRIVING AND LOSS OF VITALITY, ROOTS SHALL ANY ROOTS OVER ONE-HALF INCH DUMBERS BE CUT ON BROKEN, SPECIAL PRECAUTIONS SHALL BE TAKEN TO ANOTHER WITH TO REPORT OF ROOTS.
- EACH SPECIES OR VARIETY SHALL BE HANDLED AND PACKED IN THE APPROVED MAINTER FOR THAT PLANT, HARMER REARD TO THE SOE AND CLIMATE COMBINIORS AT THE TIME AND PLACE OF DISCHIOL, THE TIPE OF THANSIT, THE DILLAPEY STE, AND THE TIME THAT MILL BE CHOCKINED IN TRANSIT OR BELLOTER, ALL PRECAUTIONS THAT ARE CUSTOMARY IN GOOD TRIDE PRACTICE SHALL BE TAKEN TO DISCHESTHAT OR DESIGNETHAT UPON ARROWAL AT THE DESTRIATION THE PLANTS ARE IN GOOD CONDITION FOR SUCCESSFUL GROWTH.

#### 85. TREES AND EVERGREENS

BENTRY SPECIES USING AN ARBORIST, INSTALL ALL WORK USING A REGISTERD, LICENSED, LANDSCAPPIN SERVICE, REMOVE, FUNNISH, DELIVER, MAYE READY WORK, GRADE, LEVEL, DISPOSE OF EXCANATED MAREPULS OFF SITE, AND PLANT A TREE OR REPRESENCE INSTALL WITH MULCH AND WARTER IF THE INSTALL SUBTRABLE BLACK DIST FLIL, GRADE, INSTALL WITH MULCH AND WARDER, IF THES I NOT POSSIBLE FOR THE REPLACEMENT OF THE FULDIMENT, FUNNISH, DELIVER THE SAME SPECIES AND VARIETY MOVING A MARINAN DIMETER OF A TRACKES, THESE TOTAL NOT DANASTER COUNTY OF STALL SHE MASSIBLE AND ANISHED AT SENSES OF THE SAME SPECIES AND VARIETY MOVING A MARINAN DENSETT OF THE PROCESS. THESE OF THE SAME SPECIES AND VARIETY SHALL BE MEASURED AT SENSES FROM THE TOP OF ROOT BALL OR AS DENOTED ON THE DRAWMINGS, TREES 4" AND LESS IN DAMASTER SHALL BE MASSIBLED AT SENSES FROM THE TOP OF ROOT BALL OR AS DENOTED ON THE DRAWMINGS, TREES A" AND LARGER IN DAMASTER SHALL BE MEASURED AT 12 SHORES FROM THE TOP OF ROOT BALL OR AS DENOTED ON THE DRAWMINGS. THE EXCANATION FOR THE TIRE OR EXPERIENCE HANDLES AND DENOTED COON DAMETERS. THE DOWNARDON FOR THE TIRE OR EXPERIENCE HANDLES AND DESTING COOND MATERIALS REDAVISED FROM THE STEE AND DROOPS MUTERATY ADORS, SUPPORTED BY ROOT BALL OR AND AND THE THE CONTROL OF AN ARBORIST ENGINEER ALL THESE AND EXPERIENCES PLANTED SHALL BE LOCATED AND DESTING COOND MATERIALS FROM THE STEE AND DROOPS MUTERATY ADORS, SUPPORTED BY ROOT BALL OR ADDITION OF FOR 2 MONTHS UNDER THE DROOPS MUTERATY ADORS ON THE STEEL ADDRESS AND EXCREPANCES PLANTED SHALL BE LOCATED AND DROTTED AND DATE AND DROOPS MUTERATY AND AND THE THE DROPE BENEFIED BY SPECIES AND SIZE WITH THE STREET ADDRESS AND EXCREPANCE PLANTED SHALL BE LOCATED AND DROOPS MUTERATY AND AND THE RECORD. ALL THESE AND EXCREPANCES PLANTED SHALL BE LOCATED BY ROCKES AND SIZE WITH THE STREET ADDRESS AND EXCREPANCES PLANTED SHALL BE LOCATED BY SPECIES AND SIZE WITH THE STREET ADDRESS AND EXCREPANCES FOR THE RECORD. ALL THE BATE OF THE AS BOUNT FOR ON THE BROWNES FROM THE RECORD.

MAPERVILLE PUBLIC	TRANSMISSION LINE LANDSCAPING	DATE: 08-01-08	
UTSLITES DEPARTMENT	OVERHEAD OR UNDERGROUND	Page 5 of 11	
ELECTRIC STANDARDS	(CONSTRUCTION SPECIFICATION)	60468-1000	

# N PLANTING (CONTINUED)

- 6) THIS WORK SHULL CONSIST OF PLANTING TREES AND EVERGREEMS OF VARIOUS SIZES AND TRUMK DIAMETER. THE CONTINCTIOR SHALL CAREFULLY EXAMINE THE PROPOSED LOCATION FOR FOREON UTILITIES, ROOM FOR GROWTH, SUTURED ENHANGE AND SHULGHT OR SHALL THE REPORTEST SHALL BE ON THE PROJECT DURING THE ENTIRE PROCESS AND SHALL DIRECT THE PLANTING.
- 7) PRIOR TO PLANTING, EMAINE THE AREA FOR OVERHEAD OBSTRUCTIONS WHEN DICCING AND MOWING, CONTRACTOR SHALL LINDSFTRAKE ANY PRUBING REQUIRED TO REMOVE PROBLY POSTRONED OR DAMAGE LINES, THE CONTRACTOR SHALL DESTRIP IF THE SPECIES, OR SOME PORTION HISTORIES, IS USEASED, THE CONTRACTOR SHALL DETERMINE IF THE TIRES OR EXPERIENCE IS A SAFETY CONCERN PRIOR TO PETFORMENC ANY WORK FOR DAMAGE, IF IT OFFICE ALM OF SURTH PROBLEM FOR VEHICLES, IF IN THE OPINION OF THE ARSORIST THE TIRES OR EXPROREDA IS NOT PLANTABLE THEN THE TIRES SHALL NOT BE PLANED.
- B) CONTRACTOR SHALL EXAMINE THE NEW SITE FOR THE TREE'S HABITAT REQUIREMENTS. FOR EXAMPLE: WIND PROTECTION: THAE OF YEAR, SOLI PH. SUNIGHT AND MOSTURE REQUIREMENTS. PLANT IN EARLY FALL REFORE FIRST TREEZE OR IN THE SPRING BEFORE THE GUES ON THE TREEZE OR EXPERIENCES BEGIN TO SMELL.
- 9) THE CONTRACTOR SHALL BE REQUESTED TO PLANT THE FOLLOWING TREE OR EVERGREEN SPECIES: USE 15 GALLON SIZE OR 4" HIGH ON 4" DIA, AS NEASURES (DWARF RED BUCK EYE).

THE RECON THE CONTROL OF A PROPERTY OF THE CONTROL SARGENT CARA TREE
NISE BARK DARTS GOLD
SUBAC SHOOTH
ARROW WOOD VIBLINIUM
WIEGELA FORD
ARROW WOOD VIBLINIUM
WIEGELA FORD
ARROW THE
ARROW THE
ARROW THE
ARROW THE
BOWNOOD WINTERCREEN
DWARF RED BUCK ETE
CRANISERS VIBLINIUM
FREE
BOWNOOD WINTERCREEN
DWARF RED BUCK ETE
CRANISERS VIBLINIUM
VIB

- 10) THE CONTRACTOR SHALL PREPARE A DESIGN OF THE PLANTED TREE AS IT FITS ON THE PROPERTY BY AN ARCHITECT LANDSCAPER. THE DRAWING SHALL BE GIVEN TO THE ENGINEER.
- 11) THE CONTRACTOR SHALL GET APPROVAL FOR PLANTING FROM THE CITY OF NAPERVILLE PRIOR TO PLANTING.
- 12) THE CONTRACTOR SHALL IDENTIFY WHAT TYPE OF TREE SHALL BE PLANTED AND PREPARE TREE FOR SHIPPING AND PLANTING.
- 13) THE CONTRACTOR SHALL MARKAIN ALL ACTIVITIES WITHIN THE BASEMENTS OR PUBLIC WAYS ANY AND ALL OTHER MEINS TO PERFORM THE WORK IS AT THE CONTRACTORS EXPENSE AND SHALL OBTAIN PERMISSION FROM ALL LIMO OWNERS TO USE THEIR PROPERTY.
- 14) THE CONTRACTOR UNDER THE DIRECTION OF AN ARBORIST SHALL PREPARE THE SITE FOR THE PLANTING, FERTILIZE, WATER, ITEM ADD WILCH, STAKE AS NECESSARY, PROVIDE DRUMAGE AND MAINTAIN FOR ONE YEAR.
- 15) TREES AND EVERGREENS TO BE PLANTED SHALL BE MEASURED IN INCH DAMETER. THE DIAMETER WILL BE MEASURED AT A POINT FOUR FEET ABOVE THE HIGHEST GROUND LEVEL AT THE BASE OF THE TREE OR EVERGREEN AND WILL BE DETERMINED BY ASSURING THE CIRCUMPERENCE OF THE TREE AND DIMINING THIS MEASURE CRICIMPERENCE BY 3,1416.
- 16) SEE SPECIFICATION 56270-1210 FOR ADDITIONAL REQUIREMENTS AND BASIS OF PAYMENTS. CONTRACTOR SHALL FOLLOW SPECIFICATION OF TREE, SHRUB AND EVERGREEN PRESERVATION REQUIREMENTS, CONTRACTOR TO PROVIDE TREE SURVEY.

NAPPRIVELE PUBLIC	TRANSMISSION LINE LANDSCAPING	DATE: 05-01-05
UTILITIES DEPARTMENT	OVERHEAD OR UNDERGROUND	Page 6 of 11
LECTRIC STANDARDS	(CONSTRUCTION SPECIFICATION)	60468-1000

F.A.P. RTE.	SECTION		COUNTY		TOTAL SHEETS	SHEET NO.
338/IL 59	2011 035		DUPAGE			
				CONTI	RACT 60	42
FED.ROAD.DIS	ILLINO	IS	FED.	AID PRO	JECT	

PROJECT TITLE	RC	UTE	59 R	CAD	IMPR	OVEN	1ENTS	
PROJECT DESCRI	280AI			STAN	DARDS			
BCC		DRAFTING DATE 5-11	-12		12,4223	N.T.	s.	
ONS DESIGN BY	PSM	REVISIONS DAT	:	ATAY JOHT A N	A	PROJECT   EU-	-12	
CHECKED BY		APPROVED BY		CAD FILE 0648001D	156.DWG	56 O	F 63	
Nap	ervi	lle	Depa		Public Ut Division	ilities		60468